

Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant2: Probably relevant
- 3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- A: Failure to act appropriately
- **C**: Communications failure
- S: Failure to supervise
- H: Any lack of human resource
- ${\bf E} :$ Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	ANTENATAL CARE	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E	
5		0 1 2 3 C	0 1 2 3	R A C S H E	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant
- 2: Probably relevant3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- $\boldsymbol{\mathsf{A}} :$ Failure to act appropriately
- C: Communications failure
- S: Failure to supervise
- **H**: Any lack of human resource
- **E**: Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	CARE DURING LABOUR	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E O	
5		0 1 2 3 C	0 1 2 3	R A C S H E	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant2: Probably relevant
- 3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- $\boldsymbol{\mathsf{A}} :$ Failure to act appropriately
- **C**: Communications failure
- S: Failure to supervise
- **H**: Any lack of human resource
- ${\bf E} :$ Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	CARE AT BIRTH	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E O	
5		0 1 2 3 C	0 1 2 3	R A C S H E O	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant2: Probably relevant
- 3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- **A**: Failure to act appropriately
- C: Communications failure
- S: Failure to supervise
- **H**: Any lack of human resource
- E: Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	RESUSCITATION CARE	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E O	
5		0 1 2 3 C	0 1 2 3	R A C S H E	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant
- 2: Probably relevant3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- **A**: Failure to act appropriately
- C: Communications failure
- S: Failure to supervise
- **H**: Any lack of human resource
- ${\bf E} :$ Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	NEONATAL CARE	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E O	
5		0 1 2 3 C	0 1 2 3	R A C S H E O	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant
- 2: Probably relevant3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- $\boldsymbol{\mathsf{A}} :$ Failure to act appropriately
- C: Communications failure
- S: Failure to supervise
- $\ensuremath{\mathbf{H}}\xspace$: Any lack of human resource
- ${\bf E} :$ Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	POSTNATAL AND BEREAVEMENT CARE	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E	
5		0 1 2 3 C	0 1 2 3	R A C S H E O	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant
- 2: Probably relevant3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- A: Failure to act appropriately
- **C**: Communications failure
- **S:** Failure to supervise
- H: Any lack of human resource
- E: Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	POST-MORTEM/PLACENTAL HISTOLOGY	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E	
5		0 1 2 3 C	0 1 2 3	R A C S H E	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



Case number: PCE	
Panel:	

Sub-optimal care

- **0:** No sub-optimal care
- 1: Minor suboptimal care
- 2: Significant suboptimal care
- 3: Major suboptimal care
- C: Comment only

Relevance of grade of care to outcome

- 0: Not relevant
- 1: Possibly relevant
- 2: Probably relevant3: Almost certainly relevant

What:

- **R**: Failure to recognise problem
- **A**: Failure to act appropriately
- C: Communications failure
- S: Failure to supervise
- **H**: Any lack of human resource
- **E**: Any lack or failure of equipment
- O: Other (please specify)

Who:

Type of Health Professional or carer involved (e.g. GP, Hospital Midwife, Obstetrician, parents).

	FOLLOW-UP VISIT AND REVIEW OF CARE	Sub- optimal care	Relevance	What	Who
1		0 1 2 3 C	0 1 2 3	R A C S H E O	
2		0 1 2 3 C	0 1 2 3	R A C S H E O	
3		0 1 2 3 C	0 1 2 3	R A C S H E O	
4		0 1 2 3 C	0 1 2 3	R A C S H E	
5		0 1 2 3 C	0 1 2 3	R A C S H E	
6		0 1 2 3 C	0 1 2 3	R A C S H E O	
7		0 1 2 3 C	0 1 2 3	R A C S H E O	
8		0 1 2 3 C	0 1 2 3	R A C S H E O	



BRRACE-UK Confidential Enquiry 2021 Mothers and Babies: Reducing Risk through Audite and Confidential Enquiries across the UK CONSENSUS VERSION

Case number:	PCE
Panel:	

Did the PMRT identify all the issues relevant to the outcome?	Yes □	No □
If NO, what issues were identified by the panel?		
Did the PMRT identify any issues relevant to the outcome		
not identified by the panel?	Yes □	No 🗆
If YES, what were they?		
Did the woman's ethnicity have any effect on her care?	Yes 🗆	No 🗆
If YES, what were the effects?		
	<u> </u>	
Were any safeguarding issues dealt with appropriately?	Yes 🗆 No 🗆	N/A □
If NO, give details		



JK MBRRACE-UK Confidential Enquiry 2021

Case number:	PCE
Panel:	

Case summary (to be completed by clinical advisor after meeting):				

Grade of care

- 1: Good care; no improvements identified
- 2: Improvements in care identified which would have made no difference to outcome
- 3: Improvements in care identified which may have made a difference to outcome

Care relating to the outcome for the baby: 1

2

3

Care relating to the outcome for the mother:

2

3